



DS-162-A

Top- FOX GEORGETTE EMBROIDERY
Bottom/Iner- SANTOON
Dupatta- NAZMEEN EMBROIDERY

WASHING INSTRUCTIONS
DO NOT BLEACH. TEST FOR BLEACH ON A HIDDEN AREA.
DO NOT DRY IN DIRECT SUNLIGHT. DO NOT IRON.
DO NOT USE DRY CLEANING. DO NOT WASH IN HOT WATER.
DO NOT USE STARCH. DO NOT USE SOAP. DO NOT USE BLEACH.
DO NOT USE DETERGENT. DO NOT USE SOAP. DO NOT USE BLEACH.
DO NOT USE DRY CLEANING. DO NOT WASH IN HOT WATER.
DO NOT USE STARCH. DO NOT USE SOAP. DO NOT USE BLEACH.
DO NOT USE DETERGENT. DO NOT USE SOAP. DO NOT USE BLEACH.



DS-162-A

Top- FOX GEORGETTE EMBROIDERY
Bottom/Iner- SANTOON
Dupatta- NAZMEEN EMBROIDERY

WASHING INSTRUCTIONS
DO NOT BLEACH THE FABRIC OR USE BLEACHING AGENTS
DO NOT DRY IN DIRECT SUNLIGHT OR NEAR FIRE
DO NOT USE HOT IRON OR PRESSURE TO REMOVE WRINKLES
IRON ON LOW HEAT AND USE STEAM PRESSURE
WASH IN COLD WATER OR WASH IN WARM WATER
DO NOT WASH IN HOT WATER OR USE HOT WATER



DS-162-B

Top- FOX GEORGETTE EMBROIDERY
Bottom/Iner- SANTOON
Dupatta- NAZMEEN EMBROIDERY

WASHING INSTRUCTIONS
 DRY CLEAN ONLY OR WASH IN COLD WATER
 DO NOT BLEACH OR USE CHLORINE BLEACH
 DO NOT IRON OR USE STEAM IRON
 DO NOT TUMBLE DRY
 DO NOT USE DRY CLEANING SOLVENTS
 DO NOT USE DRY CLEANING OILS
 DO NOT USE DRY CLEANING FLUOROCARBONS
 DO NOT USE DRY CLEANING PERCHLOROETHYLENE
 DO NOT USE DRY CLEANING PEROXYACETONE
 DO NOT USE DRY CLEANING PERCHLOROETHYLENE
 DO NOT USE DRY CLEANING PERCHLOROETHYLENE
 DO NOT USE DRY CLEANING PERCHLOROETHYLENE



DS-162-C

Top- FOX GEORGETTE EMBROIDERY
Bottom/Iner- SANTOON
Dupatta- NAZMEEN EMBROIDERY

WASHING INSTRUCTIONS
 DRY CLEAN ONLY OR WASH IN COLD WATER GENTLY
 BEFORE DRYING OR IRONING, SHOULD BE SOAKED IN WATER
 FULLY COMPACTED TO GET THE BEST RESULTS
 DO NOT USE HOT IRON OR PRESSURE TO REMOVE STAIN FROM FABRIC
 WASH IN COLD WATER AND USE FABRIC SOFTENER
 WASH IN COLD WATER TO REMOVE STAIN FROM FABRIC AND SOAK FOR 15 MINUTES
 DRY CLEAN ONLY OR WASH IN COLD WATER GENTLY



Top- FOX GEORGETTE EMBROIDERY

Bottom/Iner- SANTOON

Dupatta- NAZMEEN EMROIDERY



DS-162-A



DS-162-B



DS-162-C