



DS-167 A

Top- FOX GEORGETTE EMBROIDERY

Bottom/Iner- SANTOON

Dupatta- NAZMEEN EMBROIDERY

WASHING INSTRUCTIONS
DO NOT BLEACH THE FABRIC OR SOAK FOR LONGER PERIODS
DO NOT DRY IN DIRECT SUNLIGHT. SHOULD BE WASHED IN COLD WATER
DO NOT USE HOT IRON. IF PROTECTIVE FABRIC IS USED ON FABRIC
WASH-DRUMS AND WETTER FABRICS SHOULD
WASHED AT A MODERATE TEMPERATURE AND NOT BY HAND. PLEASE REFER
TO THE CARE LABEL FOR FURTHER INSTRUCTIONS.



DS-167 A

Top- FOX GEORGETTE EMBROIDERY

Bottom/Iner- SANTOON

Dupatta- NAZMEEN EMBROIDERY

WASHING INSTRUCTIONS
DO NOT BLEACH THE FABRIC OR SOAK FOR LONGER PERIODS
DO NOT DRY IN DIRECT SUNLIGHT. SHOULD BE WASHED IN COLD WATER
DO NOT USE HOT IRON. IF PROTECTIVE FABRIC IS USED TO PROTECT
IRON-SENSITIVE AND WET FABRICS SHOULD
WASHED IN A MILD DETERGENT. DO NOT USE HOT IRON. DO NOT
DRY IN DIRECT SUNLIGHT. IF PROTECTIVE FABRIC IS USED TO PROTECT



DS-167 B

Top- FOX GEORGETTE EMBROIDERY

Bottom/Iner- SANTOON

Dupatta- NAZMEEN EMBROIDERY

WASHING INSTRUCTIONS
DO NOT BLEACH. USE ONLY MILD DETERGENTS.
DO NOT USE HOT WATER. WASH IN COLD WATER.
DO NOT IRON. IF NECESSARY, IRON ON REVERSE SIDE.
DO NOT DRY IN DIRECT SUNLIGHT.
DO NOT WASH IN WASHING MACHINE.



DS-167 C

Top- FOX GEORGETTE EMBROIDERY

Bottom/Iner- SANTOON

Dupatta- NAZMEEN EMBROIDERY

WASHING INSTRUCTIONS
DO NOT DRY AT THE END OF DRY CLEANING OR HANG
BEFORE DRYING OR HANGING. SHOULD BE WASHED IN WATER
BY HAND OR IN THE WASHING MACHINE.
DO NOT USE HOT IRON. IF PROVISIONAL IRON IS USED, USE LOW
TEMPERATURE AND USE PRESSURE.
WASHING INSTRUCTIONS SHOULD BE FOLLOWED BY THE CUSTOMER.
IF YOU HAVE ANY QUESTIONS, PLEASE CONTACT US.



DS-167 D

Top- FOX GEORGETTE EMBROIDERY

Bottom/Iner- SANTOON

Dupatta- NAZMEEN EMBROIDERY

WASHING INSTRUCTIONS
DO NOT BLEACH. USE ONLY MILD DETERGENTS.
DO NOT USE HOT WATER. WASH IN COLD WATER.
DO NOT IRON. IF NECESSARY, IRON ON REVERSE SIDE.
DO NOT DRY IN DIRECT SUNLIGHT.
DO NOT WASH IN WASHING MACHINE.



Top- FOX GEORGETTE EMBROIDERY

Bottom/Iner- SANTOON

Dupatta- NAZMEEN EMROIDERY



DS-167-A



DS-167-B



DS-167-C



DS-167-D